

COMPLETE HYDRAULIC SOLUTIONS

# PRODUCT GUIDE



## FLUID CONNECTORS



### SECTION 2

### Field Attachable Couplings



Adelaide 08 8228 2411	Sydney 02 8814 2100	Newcastle 02 4964 2123	Melbourne 03 8793 6400	Laverton 03 9371 9000
Brisbane 07 3022 3700	Emerald 07 4988 1800	Mackay 07 4847 8800	Perth 08 6216 4600	Tasmania 03 6427 0908

[www.southcott.com.au](http://www.southcott.com.au)  
SAFETY+QUALITY+RELIABILITY

# Section 2

## Field-Attachable Couplings



### Contents

Part No.....	Description .....	Page
<b>FIELD-FIT COUPLINGS</b>		
<b>To suit Gates hose types:</b>		
<b>G1, G2, C3H</b>		
BN1 .....	Body to suit G1 Hose (Non-Skive) .....	2.4
BN2 .....	Body to suit G2 Hose (Non-Skive) .....	2.4
BN3 .....	Body to suit C3H Hose (Non-Skive) .....	2.4
RMB .....	Straight Male BSPT .....	2.4
RMP .....	Straight Male BSPP .....	2.4
RMBX .....	Straight Male BSPT.Swivel .....	2.4
RMBX90C .....	90° Close Male BSPT.Swivel .....	2.4
RFB .....	Straight Female BSPP.Swivel .....	2.4
RFB45 .....	45° Tube Style Female BSPP.Swivel .....	2.4
RFB45C .....	45° Close Style Female BSPP.Swivel .....	2.5
RFB90 .....	90° Tube Style Female BSPP.Swivel .....	2.5
RFB90C .....	90° Close Style Female BSPP.Swivel .....	2.5
RMJ .....	Straight Male JIC .....	2.5
RFJ .....	Straight Female JIC Swivel .....	2.5
RFJ45 .....	45° Tube Style Female JIC Swivel .....	2.5
RFJ45C .....	45° Close Style Female JIC Swivel .....	2.5
RFJ90 .....	90° Tube Style Female JIC Swivel .....	2.5
RFJ90L .....	90° Long Drop Tube Style Female JIC Swivel .....	2.6
RFJ90C .....	90° Tube Style Female JIC Swivel .....	2.6
RFFO .....	Flat Female Swivel O-Ring Flat Face .....	2.6
RFFO90 .....	90° Female Swivel O-Ring Flat Face .....	2.6
RMN .....	Straight Male NPTF .....	2.6
RFN .....	Straight Female NPTF .....	2.6
RMO .....	Straight Male S.A.E. 'O' Ring Boss .....	2.6
RMOX .....	Straight Male S.A.E. 'O' Ring Boss Swivel .....	2.6
RMOX90C .....	90° Close Male S.A.E. 'O' Ring Boss Swivel .....	2.6
RFL .....	Straight SAE 'O' Ring Flange (Code 61) .....	2.7
RFL45 .....	45° SAE 'O' Ring Flange (Code 61) .....	2.7
RFL90 .....	90° SAE 'O' Ring Flange (Code 61) .....	2.7
RMS .....	Straight Male SAE .....	2.7
RFS .....	Straight Female SAE.Swivel .....	2.7
RFS45C .....	45° Tube Style Female SAE.Swivel .....	2.7
RFS90 .....	90° Tube Style Female SAE.Swivel .....	2.7
RFS90C .....	90° Close Style Female SAE Swivel .....	2.7
RLS .....	Lifesaver .....	2.7
RHJ .....	Hose Joiner .....	2.7



# Section 2

## Field-Attachable Couplings

### Contents

Part No. .... Description ..... Page

#### FIELD-FIT/C5 COUPLINGS

To suit Gates hose types:

C5C, C5CXH, C5D & C5M

5MB .....	Straight Male BSPT. ....	2.8
C5-RMP .....	Straight Male NPTF .....	2.8
C5-RFJX .....	Straight Female JIC Swivel .....	2.8
C5-RFJX45 .....	45° Tube Style Female JIC Swivel .....	2.8
C5-RFJX90 .....	90° Tube Style Female JIC Swivel .....	2.8
C5-RFJSX .....	Straight Female JIC/SAE (Dual Cone Seat) Swivel .....	2.8
C5-RFJSX45 .....	45° Tube Style Female JIC/SAE (Dual Cone Seat) Swivel .....	2.8
C5-RFJSX90 .....	90° Tube Style Female JIC/SAE (Dual Cone Seat) Swivel .....	2.8
C5-RFSX .....	Straight Female SAE Swivel .....	2.9
C5-RFSX45 .....	45° Tube Style Female SAE Swivel .....	2.9
C5-RFSX90 .....	90° Tube Style Female SAE Swivel .....	2.9

#### FIELD-FIT/C5E COUPLINGS

To suit Gates hose types:

C5E - SAE J1402 Type E.A1.(Air brake) SAE J1019 High Temp

C5E-RMP .....	Straight Male NPTF .....	2.10
C5E-RFJX .....	Straight Female JIC Swivel .....	2.10
C5E-RFJX45 .....	45° Tube Style Female JIC Swivel .....	2.10
C5E-RFJX90 .....	90° Tube Style Female JIC Swivel .....	2.10
C5E-RFJSX .....	Straight Female JIC/SAE (Dual Cone Seat) Swivel .....	2.10
C5E-RFJSX45 .....	45° Tube Style Female JIC/SAE (Dual Cone Seat) Swivel .....	2.10
C5E-RFJSX90 .....	90° Tube Style Female JIC/SAE (Dual Cone Seat) Swivel .....	2.10
C5E-RFSX .....	Straight Female SAE Swivel .....	2.11
C5E-RFSX45 .....	45° Tube Style Female SAE Swivel .....	2.11
C5E-RFSX90 .....	90° Tube Style Female SAE Swivel .....	2.11
C5E-RMIX .....	Straight Male SAE Inverted Flare .....	2.11
C5E-RMIX45 .....	45° Male SAE Inverted Flare .....	2.11
C5E-RMIX90 .....	90° Male SAE Inverted Flare .....	2.11

#### LOCK-ON COUPLINGS

LMB .....	Straight Male BSP.T .....	2.12
LFB .....	Straight Female BSP.P. Swivel .....	2.12
LFB90C .....	90° Close Style Female BSP.P Swivel .....	2.12
LMN .....	Straight Male NPTF .....	2.12
LMJ .....	Straight Male JIC .....	2.12
LMS .....	Straight Male SAE .....	2.12
LFJ .....	Straight Female JIC Swivel .....	2.12
LFJS .....	Straight Female JIC/SAE (Dual Cone Seat) Swivel .....	2.12
LFJ90 .....	90° Tube Style Female JIC Swivel .....	2.13
LFJ90C .....	90° Close Style Female JIC Swivel .....	2.13
LFS .....	Straight Female SAE Swivel .....	2.13
LMIX .....	Straight Male SAE Inverted Flare .....	2.13
LSP .....	Straight Stand Pipe .....	2.13
LHJ .....	Straight Hose Joiner .....	2.13

# Section 2

## Field-Attachable Couplings



### Contents


Part No.....	Description .....	Page
<b>CLAMP-ON COUPLINGS (BEADED TAIL)</b>		
CB4.....	Hosetail Male/Male BSPT x LP .....	2.14
CP4.....	Hosetail Male/Male BSPP x LP .....	2.14
CM4 .....	Hosetail Male/Male Metric x LP .....	2.14
CN4 .....	Hosetail Male/Male NPTF x LP.....	2.14
C5.....	Hosetail Male/Male SAE O-Ring Boss x LP .....	2.14
CB5.....	Hosetail Female/Male BSPT x LP.....	2.15
C41.....	Hosetail 45° Elbow Male/Male SAE O-Ring Boss x LP .....	2.15
CB41.....	Hosetail 45° Elbow Male/Male BSPT x LP .....	2.15
CN41 .....	Hosetail 45° Elbow Male/Male NPTF x LP.....	2.15
C60.....	Hosetail 90° Elbow Male/Male SAE O-Ring Boss x LP .....	2.15
CB60.....	Hosetail 90° Elbow Male/Male BSPT x LP .....	2.15
CP60.....	Hosetail 90° Elbow Male/Male BSPP x LP .....	2.16
CN60 .....	Hosetail 90° Elbow Male/Male NPTF x LP .....	2.16



# Section 2


## Field-Attachable Couplings

### Body One Wire Braid G1 Hose Non-Skive




P/Number	Hose
BN1-04	1/4
BN1-06	3/8
BN1-08	1/2
BN1-12	3/4
BN1-16	1

### Body Two Wire Braid G2 Hose Non-Skive




P/Number	Hose
BN2-04	1/4
BN2-06	3/8
BN2-08	1/2
BN2-10	5/8
BN2-12	3/4
BN2-16	1

### Body Two Textile Braid G3H Hose Non-Skive




P/Number	Hose
BN3-04	1/4
BN3-06	3/8
BN3-08	1/2
BN3-12	3/4

### Straight Male BSPT G1, G2, C3H




P/Number	Thread	Hose
RMB-0204	1/8	1/4
RMB-0404	1/4	1/4
RMB-0406	1/4	3/8
RMB-0604	3/8	1/4
RMB-0606	3/8	3/8
RMB-0608	3/8	1/2
RMB-0806	1/2	3/8
RMB-0808	1/2	1/2
RMB-0810	1/2	5/8
RMB-0812	1/2	3/4
RMB-1008	5/8	1/2
RMB-1208	3/4	1/2
RMB-1212	3/4	3/4
RMB-1612	1	3/4
RMB-1616	1	1

### Straight Male BSPP G1, G2, C3H




P/Number	Thread	Hose
RMP-0606	3/8	3/8
RMP-0806	1/2	3/8
RMP-0808	1/2	1/2

### Straight Male BSPT Swivel G1, G2, C3H




P/Number	Thread	Hose
RMBX-0606	3/8	3/8
RMBX-0608	3/8	1/2
RMBX-0806	1/2	3/8
RMBX-0808	1/2	1/2
* RMBX-1208	3/4	1/2
RMBX-1212	3/4	3/4

### 90 Close Male BSPT Swivel G1, G2, C3H




P/Number	Thread	Hose
RMBX90C-0606	3/8	3/8
* RMBX90C-0608	3/8	1/2
RMBX90C-0806	1/2	3/8
RMBX90C-0808	1/2	1/2
RMBX90C-1212	3/4	3/4

### Straight Female BSPP Swivel G1, G2, C3H



P/Number	Thread	Hose
RFB-0204	1/8	1/4
RFB-0404	1/4	1/4
RFB-0406	1/4	3/8
RFB-0604	3/8	1/4
RFB-0606	3/8	3/8
RFB-0608	3/8	1/2
RFB-0806	1/2	3/8
RFB-0808	1/2	1/2
RFB-1008	5/8	1/2
RFB-1208	3/4	1/2
RFB-1212	3/4	3/4
RFB-1612	1	3/4
RFB-1616	1	1

### 45° Tube Female BSPP Swivel G1, G2, C3H




P/Number	Thread	Hose
RFB45-0404	1/4	1/4
RFB45-0606	3/8	3/8
* RFB45-0806	1/2	3/8
RFB45-0808	1/2	1/2
RFB45-1212	3/4	3/4
RFB45-1616	1	1

# Section 2 Field-Attachable Couplings




### 45° Close Female BSPP Swivel G1, G2, C3H




P/Number	Thread	Hose
RFB45C-0404	1/4	1/4
RFB45C-0606	3/8	3/8
RFB45C-0806	1/2	3/8
RFB45C-0808	1/2	1/2
RFB45C-1212	3/4	3/4
RFB45C-1616	1	1

### 90° Tube Female BSPP Swivel G1, G2, C3H




P/Number	Thread	Hose
RFB90-0404	1/4	1/4
RFB90-0606	3/8	3/8
RFB90-0806	1/2	3/8
RFB90-0808	1/2	1/2
RFB90-1212	3/4	3/4
RFB90-1616	1	1

### 90° Close Female BSPP Swivel G1, G2, C3H




P/Number	Thread	Hose
* RFB90C-0204	1/8	1/4
RFB90C-0404	1/4	1/4
RFB90C-0406	1/4	3/8
RFB90C-0604	3/8	1/4
RFB90C-0606	3/8	3/8
RFB90C-0608	3/8	1/2
RFB90C-0806	1/2	3/8
RFB90C-0808	1/2	1/2
RFB90C-1208	3/4	1/2
RFB90C-1212	3/4	3/4
RFB90C-1616	1	1

### Straight Male JIC G1, G2, C3H




P/Number	Thread	Hose
RMJ-0704	7/16	1/4
RMJ-0804	1/2	1/4
RMJ-0904	9/16	1/4
RMJ-0906	9/16	3/8
RMJ-0908	9/16	1/2
RMJ-1206	3/4	3/8
RMJ-1208	3/4	1/2
RMJ-1406	7/8	3/8
RMJ-1408	7/8	1/2
RMJ-1410	7/8	5/8
RMJ-1412	7/8	3/4
RMJ-1708	1-1/16	1/2
RMJ-1710	1-1/16	5/8
RMJ-1712	1-1/16	3/4
RMJ-1912	1-3/16	3/4
RMJ-2116	1-5/16	1

### Straight Female JIC Swivel G1, G2, C3H




P/Number	Thread	Hose
RFJ-0704	7/16	1/4
RFJ-0804	1/2	1/4
RFJ-0904	9/16	1/4
RFJ-0906	9/16	3/8
RFJ-0908	9/16	1/2
RFJ-1206	3/4	3/8
RFJ-1208	3/4	1/2
RFJ-1406	7/8	3/8
RFJ-1408	7/8	1/2
RFJ-1410	7/8	5/8
RFJ-1412	7/8	3/4
RFJ-1708	1-1/16	1/2
RFJ-1710	1-1/16	5/8
RFJ-1712	1-1/16	3/4
RFJ-1716	1-1/16	1
RFJ-1912	1-3/16	3/4
RFJ-2112	1-5/16	3/4
RFJ-2116	1-5/16	1

### 45° Female JIC Swivel G1, G2, C3H




P/Number	Thread	Hose
RFJ45-0704	7/16	1/4
* RFJ45-0804	1/2	1/4
RFJ45-0904	9/16	1/4
RFJ45-0906	9/16	3/8
RFJ45-1206	3/4	3/8
RFJ45-1208	3/4	1/2
RFJ45-1408	7/8	1/2
RFJ45-1712	1-1/16	3/4
RFJ45-2116	1-5/16	1

### 45° Close Female JIC Swivel G1, G2, C3H




P/Number	Thread	Hose
RFJ45C-0704	7/16	1/4
RFJ45C-0804	1/2	1/4
RFJ45C-0904	9/16	1/4
RFJ45C-0906	9/16	3/8
RFJ45C-1206	3/4	3/8
RFJ45C-1208	3/4	1/2
RFJ45C-1408	7/8	1/2
RFJ45C-1712	1-1/16	3/4
* RFJ45C-2116	1-5/16	1

### 90° Tube Female JIC Swivel G1, G2, C3H




P/Number	Thread	Hose
RFJ90-0704	7/16	1/4
RFJ90-0804	1/2	1/4
RFJ90-0904	9/16	1/4
RFJ90-0906	9/16	3/8
RFJ90-1206	3/4	3/8
RFJ90-1208	3/4	1/2
RFJ90-1408	7/8	1/2
RFJ90-1410	7/8	5/8
RFJ90-1708	1-1/16	1/2
RFJ90-1710	1-1/16	5/8
RFJ90-1712	1-1/16	3/4
RFJ90-2116	1-5/16	1

### 90° Female JIC Long Drop Swivel G1, G2, C3H




P/Number	Thread	Hose
RFJ90L-0704	7/16	1/4
RFJ90L-0904	9/16	1/4
RFJ90L-0906	9/16	3/8
RFJ90L-1206	3/4	3/8
RFJ90L-1208	3/4	1/2
RFJ90L-1408	7/8	1/2
RFJ90L-1712	1-1/16	3/4
RFJ90L-2116	1-1/16	3/4

### 90° Close Female JIC Swivel G1, G2, C3H




P/Number	Thread	Hose
RFJ90C-0704	7/16	1/4
RFJ90C-0804	1/2	1/4
RFJ90C-0904	9/16	1/4
RFJ90C-0906	9/16	3/8
RFJ90C-0908	9/16	1/2
RFJ90C-1206	3/4	3/8
RFJ90C-1208	3/4	1/2
RFJ90C-1408	7/8	1/2
RFJ90C-1708	7/8	1/2
RFJ90C-1712	1-1/16	3/4
RFJ90C-2116	1-5/16	1

### Straight Female Swivel Flat Faced O-Ring (ORFS) G1, G2, C3H




P/Number	Thread	Hose
RFFO-0904	9/16	1/4
RFFO-1104	11/16	1/4
RFFO-1106	11/16	3/8
RFFO-1308	13/16	1/2
RFFO-1608	1	1/2

### 90° Female Swivel Flat Faced O-Ring (ORFS) G1, G2, C3H




P/Number	Thread	Hose
RFFO90-0904	9/16	1/4
RFFO90-1104	11/16	1/4
RFFO90-1106	11/16	3/8
RFFO90-1308	13/16	1/2
RFFO90-1608	1	1/2

### Straight Male NPTF G1, G2, C3H




P/Number	Thread	Hose
RMN-0404	1/4	1/4
RMN-0406	1/4	3/8
RMN-0604	3/8	1/4
RMN-0606	3/8	3/8
RMN-0808	1/2	1/2
RMN-1208	3/4	1/2
RMN-1212	3/4	3/4
* RMN-1616	1	1

### Straight Female NPTF G1, G2, C3H



P/Number	Thread	Hose
RFN-0404	1/4	1/4
RFN-0406	1/4	3/8
RFN-0808	1/2	1/2


### Straight Male S.A.E. 'O' Ring Boss G1, G2, C3H



P/Number	Thread	Hose
RMO-1206	3/4	3/8
RMO-1208	3/4	1/2
RMO-1406	7/8	3/8
RMO-1408	7/8	1/2

90 Duro O Ring supplied


### Straight Male S.A.E. 'O' Ring Boss (Swivel) G1, G2, C3H



P/Number	Thread	Hose
RMOX-1206	3/4	3/8
* RMOX-1208	3/4	1/2
RMOX-1406	7/8	3/8
RMOX-1408	7/8	1/2
* RMOX-1708	1-1/16	1/2
* RMOX-1712	1-1/16	3/4
RMOX-2116	1-5/16	1

90 Duro O Ring supplied

### 90° Close Male S.A.E. 'O' Ring Boss (Swivel) G1, G2, C3H



P/Number	Thread	Hose
RMOX90C-1206	3/4	3/8
RMOX90C-1208	3/4	1/2
* RMOX90C-1406	7/8	3/8
RMOX90C-1408	7/8	1/2
RMOX90C-1712	1-1/16	3/4


90 Duro O Ring supplied

# Section 2

## Field-Attachable Couplings




### Straight SAE 'O' Ring Flange G1, G2, C3H Code 61



P/Number .....	Flange .....	Hose .....
RFL-1212 .....	3/4 .....	3/4
* RFL-1612 .....	1 .....	3/4
RFL-1616 .....	1 .....	1
* RFL-2416 .....	1-1/2 .....	1

90 Duro O Ring supplied


### 45° SAE 'O' Ring Flange G1, G2, C3H Code 61



P/Number .....	Flange .....	Hose .....
* RFL45-1612 .....	1 .....	3/4
* RFL45-2012 .....	1-1/4 .....	3/4
* RFL45-2016 .....	1-1/4 .....	1

90 Duro O Ring supplied


### 90° SAE 'O' Ring Flange G1, G2, C3H Code 61



P/Number .....	Flange .....	Hose .....
RFL90-1212 .....	3/4 .....	3/4


90 Duro O Ring supplied

### Straight Male SAE G1, G2, C3H




P/Number .....	Thread .....	Hose .....
RMS-0804 .....	1/2 .....	1/4
* RMS-1006 .....	5/8 .....	3/8
RMS-1206 .....	3/4 .....	3/8

### Straight Female SAE Swivel G1, G2, C3H




P/Number .....	Thread .....	Hose .....
RFS-0704 .....	7/16 .....	1/4
RFS-0806 .....	1/2 .....	3/8
RFS-1006 .....	5/8 .....	3/8
RFS-1206 .....	3/4 .....	3/8

### 45° Close Female SAE Swivel G1, G2, C3H




P/Number .....	Thread .....	Hose .....
* RFS45C-1006 .....	5/8 .....	3/8

### 90° Tube Female SAE Swivel G1, G2, C3H




P/Number .....	Thread .....	Hose .....
* RFS90-1006 .....	5/8 .....	3/8

### 90° Close Female SAE Swivel G1, G2, C3H




P/Number .....	Thread .....	Hose .....
* RFS90C-0704 .....	7/16 .....	1/4
RFS90C-1006 .....	5/8 .....	3/8
RFS90C-1206 .....	3/4 .....	3/8

### Lifesaver G1, G2, C3H



P/Number .....	Tube .....	Hose .....
RLS-0404 .....	1/4 .....	1/4
* RLS-0604 .....	3/8 .....	1/4
RLS-0606 .....	3/8 .....	3/8
* RLS-0806 .....	1/2 .....	3/8
RLS-0808 .....	1/2 .....	1/2
RLS-1008 .....	5/8 .....	1/2
RLS-1212 .....	3/4 .....	3/4
RLS-1616 .....	1 .....	1

### Hose Joiner G1, G2, C3H



P/Number .....	Hose .....
RHJ-04 .....	1/4
RHJ-06 .....	3/8
RHJ-08 .....	1/2
RHJ-12 .....	3/4
* RHJ-16 .....	1






# Section 2


## Field-Fit / C5 Couplings

### Straight Male BSPT C5C, C5CXH, C5D & C5M




P/Number	Thread	Hose
5MB-0204	1/8	3/16
5MB-0404	1/4	3/16

### Straight Male NPTF C5C, C5CXH, C5D & C5M




P/Number	Thread	Hose
4C5-2RMP	1/8	3/16
4C5-4RMP	1/4	3/16
6C5-4RMP	1/4	5/16
6C5-6RMP	3/8	5/16
8C5X-8RMP	1/2	13/32
12C5X-12RMP	3/4	5/8
16C5-16RMP	1	7/8

### Straight Female JIC Swivel C5C, C5CXH, C5D & C5M




P/Number	Thread	Hose
6C5-6RFJX	9/16	5/16
8C5X-6RFJX	9/16	13/32
10C5-12RFJX	1-1/16	1/2
12C5X-12RFJX	1-1/16	5/8
16C5-16RFJX	1-5/16	7/8
20C5-20RFJX	1-5/8	1-1/8
24C5-24RFJX	1-7/8	1-3/8
32C5-32RFJX	2-1/2	1-13/16

### 45° Tube Female JIC Swivel C5C, C5CXH, C5D & C5M




P/Number	Thread	Hose
6C5-6RFJX45	9/16	5/16
12C5X-12RFJX45S	1-1/16	5/8
16C5-16RFJX45	1-5/16	7/8

### 90° Tube Female JIC Swivel C5C, C5CXH, C5D & C5M




P/Number	Thread	Hose
6C5-6RFJX90	9/16	5/16
12C5X-12RFJX90L	1-1/16	5/8
12C5X-12RFJX90S	1-1/16	5/8
16C5-16RFJX90	1-5/16	7/8

### Straight Female JIC/SAE Dual Seat Swivel C5C, C5CXH, C5D & C5M




P/Number	Thread	Hose
4C5-4RFJSX	7/16	3/16
5C5X-5RFJSX	1/2	1/4
8C5X-8RFJSX	3/4	13/32
10C5-10RFJSX	7/8	1/2

### 45° Tube Female JIC/SAE Dual Seat Swivel C5C, C5CXH, C5D & C5M



P/Number	Thread	Hose
4C5-4RFJSX45	7/16	3/16
5C5X-5RFJSX45S	1/2	1/4
8C5X-8RFJSX45S	3/4	13/32
10C5-10RFJSX45	7/8	1/2

### 90° Tube Female JIC/SAE Dual Seat Swivel C5C, C5CXH, C5D & C5M




P/Number	Thread	Hose
4C5-4RFJSX90	7/16	3/16
5C5X-5RFJSX90L	1/2	1/4
5C5X-5RFJSX90S	1/2	1/4
8C5X-8RFJSX90L	3/4	13/32
8C5X-8RFJSX90S	3/4	13/32
10C5-10RFJSX90	7/8	1/2

# Section 2

## Field-Fit / C5 Couplings




### Straight Female SAE Swivel C5C, C5CXH, C5D & C5M




P/Number .....	Thread .....	Hose .....
6C5-6RFSX.....	5/8 .....	5/16
10C5-12RFSX.....	1-1/16.....	1/2
12C5X-12RFSX.....	1-1/16.....	5/8

### 45° Tube Female SAE Swivel C5C, C5CXH, C5D & C5M



P/Number .....	Thread .....	Hose .....
6C5-6RFSX45.....	5/8 .....	5/16
12C5X-12RFSX45S.....	1-1/16.....	5/8

### 90° Tube Female SAE Swivel C5C, C5CXH, C5D & C5M




P/Number .....	Thread .....	Hose .....
6C5-6RFSX90.....	5/8 .....	5/16
12C5X-12RFSX90L.....	1-1/16.....	5/8
12C5X-12RFSX90S.....	1-1/16.....	5/8



# Section 2


## Field-Fit / C5E Couplings

### Straight Male NPTF C5E




P/Number	Thread	Hose
4C5E-2RMP	1/8	3/16
4C5E-4RMP	1/4	3/16
5C5E-4RMP	1/4	1/4
6C5E-6RMP	3/8	5/16
8C5E-8RMP	1/2	13/32
10C5E-8RMP	1/2	1/2
12C5E-12RMP	3/4	5/8
12C5E-16RMP	1	5/8
16C5E-16RMP	1	7/8

### Straight Female JIC Swivel C5E




P/Number	Thread	Hose
6C5E-6RFJX	9/16	5/16
12C5E-12RFJX	1-1/16	5/8
16C5E-16RFJX	1-5/16	7/8

### 45° Tube Female JIC Swivel C5E




P/Number	Thread	Hose
* 6C5E-6RFJX45	9/16	5/16
* 12C5E-12RFJX45	1-1/16	5/8

### 90° Tube Female JIC Swivel C5E




P/Number	Thread	Hose
6C5E-6RFJX90	9/16	5/16
12C5E-12RFJX90	1-1/16	5/8
16C5E-16RFJX90	1-5/16	7/8

### Straight Female JIC/SAE Dual Seat Swivel C5E




P/Number	Thread	Hose
4C5E-4RFJ SX	7/16	3/16
5C5E-5RFJ SX	1/2	1/4
8C5E-8RFJ SX	3/4	13/32

### 45° Tube Female JIC/SAE Dual Seat Swivel C5E



P/Number	Thread	Hose
4C5E-4RFJ SX45	7/16	3/16
8C5E-8RFJ SX45	3/4	13/32
10C5E-10RFJ SX45	7/8	1/2

### 90° Tube Female JIC/SAE Dual Seat Swivel C5E




P/Number	Thread	Hose
4C5E-4RFJ SX90	7/16	3/16
8C5E-8RFJ SX90	3/4	13/32
10C5E-10RFJ SX90	7/8	1/2

# Section 2

## Field-Fit / C5E Couplings




### Straight Female SAE Swivel C5E




P/Number ..... Thread ..... Hose  
 6C5E-6RFSX ..... 5/8 ..... 5/16

### 45° Tube Female SAE Swivel C5E




P/Number ..... Thread ..... Hose  
 6C5E-6RFSX45 ..... 5/8 ..... 5/16

### 90° Tube Female SAE Swivel C5E




P/Number ..... Thread ..... Hose  
 6C5E-6RFSX90 ..... 5/8 ..... 5/16

### Straight Male SAE Inverted Flare C5E




P/Number ..... Thread ..... Hose  
 4C5E-4RMIX ..... 7/16 ..... 3/16  
 5C5E-5RMIX ..... 1/2 ..... 1/4  
 6C5E-6RMIX ..... 5/8 ..... 5/16  
 8C5E-8RMIX ..... 3/4 ..... 13/32

### 45° Tube Male SAE Inverted Flare C5E



P/Number ..... Thread ..... Hose  
 6C5E-6RMIX45 ..... 5/8 ..... 5/16  
 8C5E-8RMIX45 ..... 3/4 ..... 13/32

### 90° Tube Male SAE Inverted Flare C5E




P/Number ..... Thread ..... Hose  
 4C5E-4RMIX90 ..... 7/16 ..... 3/16  
 5C5E-5RMIX90 ..... 1/2 ..... 1/4  
 6C5E-6RMIX90 ..... 5/8 ..... 5/16  
 8C5E-8RMIX90 ..... 3/4 ..... 13/32



# Section 2


## Lock-On Couplings

### Straight Male BSPT LOL/LOC




P/Number	Thread	Hose
LMB-0204	1/8	1/4
LMB-0205	1/8	5/16
LMB-0404	1/4	1/4
LMB-0405	1/4	5/16
LMB-0406	1/4	3/8
LMB-0604	3/8	1/4
LMB-0606	3/8	3/8
LMB-0608	3/8	1/2
LMB-0806	1/2	3/8
LMB-0808	1/2	1/2
LMB-1212	3/4	3/4

### Straight Female BSPP Swivel LOL/LOC




P/Number	Thread	Hose
LFB-0204	1/8	1/4
LFB-0404	1/4	1/4
LFB-0405	1/4	5/16
LFB-0604	3/8	1/4
LFB-0606	3/8	3/8
LFB-0608	3/8	1/2
LFB-0806	1/2	3/8
LFB-0808	1/2	1/2
LFB-0810	1/2	5/8
LFB-1212	3/4	3/4

### 90° Female BSPP Swivel LOL/LOC




P/Number	Thread	Hose
LFB90C-0404	1/4	1/4
LFB90C-0405	1/4	5/16
* LFB90C-0604	3/8	1/4
LFB90C-0606	3/8	3/8
LFB90C-0808	1/2	1/2
LFB90C-1212	3/4	3/4

### Straight Male NPTF LOL/LOC




P/Number	Thread	Hose
LMN-0204	1/8	1/4
LMN-0205	1/8	5/16
* LMN-0404	1/4	1/4
* LMN-0406	1/4	3/8
* LMN-0606	3/8	3/8
* LMN-0808	1/2	1/2

### Straight Male JIC LOL/LOC




P/Number	Thread	Hose
* LMJ-0704	7/16	1/4
* LMJ-0804	1/2	1/4
* LMJ-0904	9/16	1/4
* LMJ-0906	9/16	3/8
* LMJ-1206	3/4	3/8
* LMJ-1208	3/4	1/2
* LMJ-1408	7/8	1/2
LMJ-1410	7/8	5/8
LMJ-1712	1-1/16	3/4

### Straight Male SAE LOL/LOC




P/Number	Thread	Hose
LMS-0704	7/16	1/4
LMS-0806	1/2	3/8

### Straight Female JIC LOL/LOC



P/Number	Thread	Hose
LFJ-0904	9/16	1/4
LFJ-0906	9/16	3/8
LFJ-1212	3/4	3/4
LFJ-1712	1-1/16	3/4

### Straight Female JIC/SAE Dual Seat Swivel LOL/LOC




P/Number	Thread	Hose
LFJS-0704	7/16	1/4
LFJS-0804	1/2	1/4
LFJS-0805	1/2	5/16
LFJS-1206	3/4	3/8
LFJS-1208	3/4	1/2
LFJS-1408	7/8	1/2
LFJS-1410	7/8	5/8

# Section 2 Lock-On Couplings




## 90° Tube Female JIC Swivel LOL/LOC




P/Number	Thread	Hose
LFJ90-0906	9/16	3/8
LFJ90-1206	3/4	3/8
LFJ90-1208	3/4	1/2
LFJ90-1408	7/8	1/2
LFJ90-1712	1-1/16	3/4

## 90° Close Female JIC Swivel LOL/LOC




P/Number	Thread	Hose
LFJ90C-0704	7/16	1/4
LFJ90C-0904	9/16	1/4
LFJ90C-0906	9/16	3/8
LFJ90C-1206	3/4	3/8
LFJ90C-1208	3/4	1/2
LFJ90C-1712	1-1/16	3/4

## Straight Female SAE LOL/LOC




P/Number	Hose	Hose
LFS-1006	5/8	3/8

## Straight Male SAE Inverted Flare LOL/LOC




P/Number	Thread	Hose
LMIX-0704	7/16	1/4
* LMIX-0804	1/2	1/4
LMIX-1006	5/8	3/8

## Standpipe LOL/LOC



P/Number	Hose	Hose
* LSP-0404	1/4	1/4
LSP-0504	5/16	1/4
* LSP-0606	3/8	3/8
* LSP-0808	1/2	1/2
LSP-15M08	15mm	1/2

## Hose Joiner LOL/LOC




P/Number	Hose	Hose
LHJ-0404	1/4	1/4
LHJ-0505	5/16	5/16
LHJ-0606	3/8	3/8
LHJ-0806	1/2	3/8
LHJ-0808	1/2	1/2
LHJ-1010	5/8	5/8
LHJ-1212	3/4	3/4



# Section 2


## Clamp-On Suction Hose Tails

### Clamp-on Hosetail M/M BSPT x Tail




P/Number	Thread	Hose
CB4-0404	1/4	1/4
CB4-0406	1/4	3/8
CB4-0408	1/4	1/2
CB4-0604	3/8	1/4
CB4-0606	3/8	3/8
CB4-0608	3/8	1/2
CB4-0610	3/8	5/8
CB4-0806	1/2	3/8
CB4-0808	1/2	1/2
CB4-0810	1/2	5/8
CB4-0812	1/2	3/4
CB4-0816	1/2	1
CB4-1212	3/4	3/4
CB4-1216	3/4	1
CB4-1220	3/4	1-1/4
CB4-1612	1	3/4
CB4-1616	1	1
CB4-1620	1	1-1/4
CB4-1624	1	1-1/2
CB4-2016	1-1/4	1
CB4-2020	1-1/4	1-1/4
CB4-2024	1-1/4	1-1/2
CB4-2420	1-1/2	1-1/4
CB4-2424	1-1/2	1-1/2
CB4-2432	1-1/2	2
CB4-2440	1-1/2	2-1/2
CB4-3232	2	2
* CB4-3240	2	2-1/2
* CB4-4040	2-1/2	2-1/2

### Clamp-on Hosetail M/M BSPP x Tail




P/Number	Thread	Hose
CP4-0612	3/8	3/4
CP4-0812	1/2	3/4
CP4-0816	1/2	1
CP4-0820	1/2	1-1/4
CP4-1212	3/4	3/4
CP4-1216	3/4	1
CP4-1220	3/4	1-1/4
CP4-1224	3/4	1-1/2
CP4-1616	1	1
CP4-1620	1	1-1/4
CP4-1624	1	1-1/2
CP4-2016	1-1/4	1
CP4-2020	1-1/4	1-1/4
CP4-2024	1-1/4	1-1/2
CP4-2032	1-1/4	2
CP4-2424	1-1/2	1-1/2
CP4-2432	1-1/2	2
CP4-3232	2	2

### Clamp-on Hosetail M/M Metric x Tail




P/Number	Thread	Hose
CM4-3316	M33	1
CM4-3324	M33	1-1/2

### Clamp-on Hosetail M/M NPTF x Tail



P/Number	Thread	Hose
CN4-0404	1/4	1/4
CN4-0406	1/4	3/8
CN4-0606	3/8	3/8
CN4-0608	3/8	1/2
CN4-0610	3/8	5/8
* CN4-0808	1/2	1/2
CN4-0810	1/2	5/8
CN4-1212	3/4	3/4
CN4-1216	3/4	1
CN4-1616	1	1
CN4-1620	1	1-1/4
CN4-1624	1	1-1/2
CN4-1626	1	1-5/8
CN4-2020	1-1/4	1-1/4
CN4-2024	1-1/4	1-1/2
CN4-2416	1-1/2	1
CN4-2420	1-1/2	1-1/4
CN4-2424	1-1/2	1-1/2
CN4-2432	1-1/2	2
CN4-3232	2	2

### Clamp-on Hosetail M/M S.A.E. 'O' Ring Boss x Tail




P/Number	Thread	Hose
* C5-1208	3/4	1/2
C5-1212	3/4	3/4
C5-1408	7/8	1/2
C5-1412	7/8	3/4
C5-1420	7/8	1-1/4
* C5-1712	1-1/16	3/4
C5-1716	1-1/16	1
C5-1720	1-1/16	1-1/4
* C5-2112	1-5/16	3/4
C5-2116	1-5/16	1
C5-2120	1-5/16	1-1/4
C5-2124	1-5/16	1-1/2
C5-2620	1-5/8	1-1/4
C5-2624	1-5/8	1-1/2
C5-3024	1-7/8	1-1/2
C5-3032	1-7/8	2

# Section 2

## Clamp-On Suction Hose Tails




### Clamp-on Hosetail F/M BSPP x Tail




P/Number	Thread	Hose
CB5-1212	3/4	3/4
CB5-1616	1	1
CB5-2020	1-1/4	1-1/4

### Clamp-on Hosetail 45° Elbow. M/M S.A.E. 'O' Ring Boss x Tail




P/Number	Thread	Hose
C41-1212	3/4	3/4
* C41-1408	7/8	1/2
C41-1716	1-1/16	1
* C41-2116	1-5/16	1
* C41-2120	1-5/16	1-1/4
* C41-2124	1-5/16	1-1/2
* C41-2620	1-5/8	1-1/4
* C41-2624	1-5/8	1-1/2

### Clamp-on Hosetail 45° Elbow. M/M BSPT x Tail




P/Number	Thread	Hose
CB41-0808	1/2	1/2
CB41-0812	1/2	3/4
CB41-1212	3/4	3/4
CB41-1216	3/4	1
CB41-1616	1	1
CB41-1620	1	1-1/4
CB41-2020	1-1/4	1-1/4
CB41-2024	1-1/4	1-1/2

### Clamp-on Hosetail 45° Elbow. M/M NPTF x Tail




P/Number	Thread	Hose
* CN41-0608	1/2	3/4
* CN41-0812	1/2	3/4
CN41-1212	3/4	3/4
CN41-1216	3/4	1
CN41-1220	3/4	1-1/4
CN41-1616	1	1
CN41-1620	1	1-1/4
* CN41-2020	1-1/4	1-1/4

### Clamp-on Hosetail 90° Elbow M/M S.A.E. 'O' Ring Boss x Tail



P/Number	Thread	Hose
* C60-0905	9/16	5/16
* C60-0906	9/16	3/8
* C60-0908	9/16	1/2
C60-1208	3/4	1/2
C60-1210	3/4	5/8
C60-1212	3/4	3/4
C60-1412	7/8	3/4
* C60-1416	7/8	1
C60-1420	7/8	1-1/4
* C60-1710	1-1/16	5/8
C60-1712	1-1/16	3/4
C60-1716	1-1/16	1
C60-1720	1-1/16	1-1/4
C60-1724	1-1/16	1-1/2
C60-2112	1-5/16	3/4
C60-2116	1-5/16	1
C60-2120	1-5/16	1-1/4
C60-2124	1-5/16	1-1/2
C60-2620	1-5/8	1-1/4
C60-2624	1-5/8	1-1/2
C60-3024	1-7/8	1-1/2

### Clamp-on Hosetail 90° Elbow M/M BSPT x Tail



P/Number	Thread	Hose
CB60-0204	1/8	1/4
* CB60-0404	1/4	1/4
CB60-0405	1/4	5/16
CB60-0406	1/4	3/8
* CB60-0606	3/8	3/8
* CB60-0608	3/8	1/2
CB60-0610	3/8	5/8
CB60-0612	3/8	3/4
CB60-0806	1/2	3/8
CB60-0808	1/2	1/2
* CB60-0810	1/2	5/8
CB60-0812	1/2	3/4
* CB60-1208	3/4	1/2
CB60-1212	3/4	3/4
CB60-1216	3/4	1
CB60-1220	3/4	1-1/4
CB60-1612	1	3/4
CB60-1616	1	1
CB60-1620	1	1-1/4
CB60-1624	1	1-1/2
* CB60-2012	1-1/4	1
CB60-2016	1-1/4	1
CB60-2020	1-1/4	1-1/4
CB60-2024	1-1/4	1-1/2
CB60-2032	1-1/4	2
CB60-2420	1-1/2	1-1/4
CB60-2424	1-1/2	1-1/2
CB60-2432	1-1/2	1-1/2
CB60-3232	2	2






# Section 2


## Clamp-On Suction Hose Tails

### Clamp-on Hosetail 90° Elbow M/M BSPP x Tail



P/Number	Thread	Hose
CP60-0608	3/8	1/2
CP60-0612	3/8	3/4
CP60-0812	1/2	3/4
CP60-0816	1/2	1
CP60-1212	3/4	3/4
CP60-1216	3/4	1
CP60-1220	3/4	1-1/4
CP60-1612	1	3/4
CP60-1616	1	1
CP60-1620	1	1-1/4
CP60-1624	1	1-1/2
CP60-1632	1	2
CP60-2016	1-1/4	1
CP60-2020	1-1/4	1-1/4
CP60-2024	1-1/4	1-1/2
CP60-2032	1-1/4	2
CP60-2424	1-1/2	1-1/2
CP60-2432	1-1/2	2

### Clamp-on Hosetail 90° Elbow M/M NPTF x Tail



P/Number	Thread	Hose
CN60-0404	1/4	1/4
CN60-0406	1/4	3/8
CN60-0408	1/4	1/2
CN60-0410	1/4	5/8
CN60-0606	3/8	3/8
CN60-0608	3/8	1/2
CN60-0610	3/8	5/8
CN60-0612	3/8	3/4
CN60-0808	1/2	1/2
CN60-0812	1/2	3/4
* CN60-1212	3/4	3/4
CN60-1216	3/4	1
* CN60-1612	1	3/4
CN60-1616	1	1
* CN60-1620	1	1-1/4
* CN60-1624	1	1-1/2
* CN60-2016	1-1/4	1
CN60-2020	1-1/4	1-1/4
CN60-2024	1-1/4	1-1/2
CN60-2424	1-1/2	1-1/2
CN60-2432	1-1/2	2